Synthetic Sensor Study · Demo Data

by Demonstration Fixtures

Submission date: 2026-11-29 09:00 UTC
Submission ID: DEMO-246810
File name: 演示数据_Synthetic_Sensor_Study.pdf
Word count: 161
Character count: 1140

Field measurements

Twelve sensors recorded the surface temperature at fixed intervals. Each instrument was checked against a reference probe before the first reading. The pilot survey included two shaded sites and two open sites.

When the wind shifted, the reference station logged a second reading. The team repeated measurements at the edge of each canopy to reduce the influence of instrument placement.

The chart below illustrates the synthetic dataset used for this report preview. The values are provided solely to demonstrate preservation of figures in the annotated manuscript.



Figure 1. Synthetic readings for display verification.

Reproducibility notes

1

Two independent observers recorded the calibration sequence in a shared notebook. The team checked every reading against the instrument log before aggregating the observations.

3

A portable screen protected each probe during the afternoon calibration. The six recovery measurements remained within the demonstration interval throughout the exercise.

The source links in this demonstration use reserved example domains. All text, matches, scores, names and identifiers are fabricated fixtures. No third-party scan was performed.

Synthetic Sensor Study · Demo Data

ORIGINALITY REPORT

18.5%	3	4
SIMILARITY INDEX	MATCHED SOURCES	MATCHED PASSAGES

PRIMARY SOURCES

1	Calibration protocol https://example.org/calibration	2 passages
2	Field sampling notes https://example.net/field-observations	1 passage
3	Instrument placement guide https://example.com/probe-guide	1 passage